

**50,000**  
HOURS RATED LIFE  
**L90**

**5**  
YEARS  
WARRANTY

**IP65**


**CCT**  
SELECTABLE



VENTURE  
LIGHTING



**CCT**  
SELECTABLE



Interior and Exterior  
options available.



The **IP65 rated** Bamburgh bulkhead can be used  
indoors and out with four trim levels to suit  
every occasion.

Customise your project even further with  
integral 3 hour emergency and microwave  
sensor options.

# BAMBURGH BULKHEAD

# 12W Bamburgh Bulkhead, Black Eyelid, 830/840/857, Microwave, Emergency


Order Code: AMY005-KITBE-SM-EM

Photometric Data	
Nominal Lumens	870
Colour Rendering Index (CRI)	80-89
Adjustable CCT	Positions
LPW (lm/W)	95
SDCM	SDCM6
Light Distribution	Symmetric
Lens / Reflector	Diffuser lens/optic/panel

Life Data	
Rated Life (Hrs)	Ta = 25C
	50000
Lumen Maintenance (Hrs)	Ta = 25C
	B50
L70	-
L80	-
L90	50000

Electrical Data	
LED Power	12-12
Microwave Sensor	Yes
Integral Emergency Inverter	Yes
Battery Type	LiFePO4
Light Sensor	No
PIR Sensor	No
Short Circuit Protection	Yes
Thermal Overload Protection	Yes
Input Current (mA)	70-70
No. Per B16 Breaker	48
No. Per C16 Breaker	64
Input (W)	14
Input (V)±10%	200-240
Voltage Type	AC
Power Factor	0.9
Electrical Class	II
Type of Wiring	Suitable for through wiring
Non-dimmable	Yes
Emergency Lighting	Yes

Physical Data	
Warranty (yrs)	5
Ambient Rated Temperature Range (°C)	0-45
Degree of Protection (IP)	IP65
Housing Colour	Black
Housing Material	Plastic
Height/Depth (mm)	90
Diameter (mm)	350
Suitable for surface mounting	Yes
Lamp Type	LED exchangeable
Cover Material	Plastic- opal
Impact Strength	IK06



# 12W Bamburgh Bulkhead, Black Eyelid, 830/840/857, Microwave, Emergency

Order Code: AMY005-KITBE-SM-EM

Logistical Data	
Gross Weight (kg)	1.4
Packaging Length (mm)	340
Packaging Width (mm)	340
Packaging Height (mm)	350
Carton Length (mm)	590
Carton Width (mm)	350
Carton Height (mm)	350
Carton Weight (kg)	9
Quantity per Carton	6